## Desktop-PC

Sl.No	ITEM	SPECIFICATION	Unit	Rate	Remarks
	NAME				
22		Processor:			
		Intel Core i3-7350k (4MB Cache, 4.20GHz) Processor			
		Memory (RAM):			
		4GB-8GB DDR3 SDRAM 1600MHz			
		L3 Cache-3MB			
		Memory (Graphics):			
		Integrated Intel HD graphics			
		Disk Drives (HDD/FDD/CD/DVD):			
		500GB SATA Hard Drive 7200 RPM, DVD+/-RW drive with			
		burner			
		Networking:			
		Integrated Gigabit Network Card			
		Modem:			
		Internal modem (optional)	1		
		Multimedia:	1		
	D - 1-1	Integrated HD Audio with internal speaker			
	Desktop (Low-	Keyboard and Mouse:			
	End)	USB Keyboard, USB optical mouse with Pad			
		Ports/Slots:			
		6 USB 20, 1 Serial port, 2 PS/2, 1 RJ-45, 1 VGA & etc			
		Networking:			
		Integreated intel 82579LM ethernet controller, Fast ethernet			
		datalink			
		Display:	1		
		20" Flat Panel Display	1		
		Preinstalled Softwares:	1		

	Operating System: <b>Activated</b> Windows 7/10 Professional 32/64-bit Media CD & System Recovery CD. Preinstalled MS Office 2010 Package and Microsoft Security Essentional Software and updated drivers.				
	Processor:				
	Intel® Core™ i5 - 7500 Processor (6M Cache, 3.80 GHz)	1			
	Memory (RAM):	4			
	4GB-16GB DDR3-1066/1333	1			
	Memory (Graphics):	1			
	Integrated Intel HD graphics				
	Disk Drives (HDD/FDD/CD/DVD):	=			
	500GB - 1TB SATA Hard Drive 7200 RPM, Bluray, DVD+/-	1			
	RW drive with burner software				
	Networking:	1			
	Integrated Gigabit Network Card				
	Modem:				
	Internal modem (optional)				
	Multimedia:	_			
	Integrated HD Audio with internal speaker	_			
	Keyboard and Mouse:	_			
Desktop	(wire or wireless)Keyboard and mouse with pad ***Should provide mouse pad				
(Mid- End)	Ports/Slots:	Set	36,990/-	37,400/-	
Ena)	7 USB 20, 1 Serial port, 2 PS/2, 1 RJ-45, 1 VGA & etc	-			
	7 65b 20, 1 5chai port, 2 15/2, 1 KJ-45, 1 Volta etc				
	Display:	1			
	20" Flat Panel Display	1			
		]			
	Preinstalled Softwares:	1			

		Operating System: <b>Activated</b> Windows 7/10 Professional 32-bit/64bit Media CD & System Recovery CD. Preinstalled MS Office 2010 Package and Microsoft Security Essentional Software and updated drivers.		
24		Processor:		
		Intel® Core™ i7(8M Cache, 4.20 GHz) Processor		
		Memory (RAM):		
		8GB-24GB DDR3-800/1066		
		Memory (Graphics):		
		Integrated Intel HD graphics		
		Disk Drives (HDD/FDD/CD/DVD):		
		1TB SATA Hard Drive 7200 RPM, Bluray, DVD+/-RW drive		
		with burner software		
		Networking:		
		Integrated Gigabit Network Card		
		Modem:		
	<b>5</b> 4.	Internal modem (optional)		
	Desktop (High-	Multimedia:		
	(High- End)	Integrated HD Audio with internal speaker		
	Liidj	Keyboard and Mouse:		
		(wire or wireless)Keyboard and mouse with pad		
		Ports/Slots:		
		8 USB 20, 1 Serial port, 2 PS/2, 1 RJ-45, 1 VGA & etc		
		Display:		
		20" Flat Panel Display		
		***Should provide mouse pad		
		Preinstalled Softwares:		

Operating System: <b>Activated</b> Windows 7/10 Professional 64bit Media CD & System Recovery CD. Preinstalled MS Office 2010 Package and Microsoft Security Essentional		
Software and updated drivers.		

Laptop-PC			Rate		
Items	Specification	set	14"	15"	
	Processor:				
	Intel Core i3-7350K(4 M Cache,4.20 GHz) processor				
	Memory (RAM):				
	4GB - 8GB DDR3 SDRAM 1333MHz-2DIMS				
	Memory (Graphics):				
	Integrated Intel HD Graphics				
	Disk Drives (HDD/FDD/CD/DVD):				
	500 GB SATA Hard drive 7200 RPM, DVD+/-RW				
	Optical drive with burner software				
	Networking:				
	Integrated Gigabit Ethernet & 802.11b/g/n wireless				
	Card, bluetooth				
	Modem:	1			
	56Kbps inbuilt Modem (optional)				
	Multimedia:				
	Integrated audio with speaker				
Laptop	Keyboard and Mouse:				
(Low-	Standard keyboard & Mouse, accessories and carrycase	set			
End)					
	Ports/Slots:	1			

	USB, RJ-45, VGA, etc (should provide VGA to HDMI converter incase the VGA port is not Available in laptop)		
	Display: 14" high definition LED display with anti glare & integrated HD WebCam, 15" high definition LED display with anti glare & integrated HD WebCam( Bidders should qoute seperately for 15" and 14").		
	Preinstalled Softwares: Operating System: Activated Windows 7/10 Professional 32/64 bits (or latter version) & recovery CD. Pre-installed MS Office 2010 (or latter version) and lastest Antivirus software and updated drivers.		
26	Processor: Intel® Core™ i5-7500 Processor (6M Cache, 3.80 GHz)  Memory (RAM): 8GB - 16GB DDR3 SDRAM 1333/1600MHz-2DIMS  Memory (Graphics): Integrated Intel HD Graphics		
	Disk Drives (HDD/FDD/CD/DVD):  500GB-1TB SATA Hard drive 7200 RPM, DVD+/-RW Optical drive with burner software  Networking:  Integrated Gigabit Ethernet & 802.11b/g/n wireless		
	Card, bluetooth  Modem:  56Kbps inbuilt Modem (optional)  Multimedia:		
Lap (Mi Enc	bulladia Reybourd & Moube, accepbolies and cally case	set	
	Ports/Slots:		

	USB, RJ-45, VGA/HDMI, etc (should provide VGA to HDMI converter incase the VGA port is not Available in laptop)  Display:  14" high definition LED display with anti glare & integrated HD WebCam,15" high definition LED display with anti glare & integrated HD WebCam( Bidders should qoute seperately for 15" and 14").  Preinstalled Softwares:			
	Operating System: Activated Windows 7/10 Professional 32/64 bits & recovery CD. Pre-installed MS Office 2010 (or latter version, lastest Antivirus software and updated drivers.			
27	Processor: Intel Core i7 7700k(8MB Cache,4.20 GHz)Processor  Memory (RAM):  0  Memory (Graphics): Integrated Intel HD Graphics  Disk Drives (HDD/FDD/CD/DVD):  1TB SATA Hard drive 7200 RPM, DVD+/-RW Optical drive with burner software			
	Networking: Integrated Gigabit Ethernet & 802.11b/g/n wireless Card, bluetooth  Modem: 56Kbps inbuilt Modem (optional)  Multimedia: Integrated audio with speaker  Keyboard and Mouse: Standard keyboard & Mouse, accessories and carrycase	set		
	Ports/Slots:			

SB, RJ-45, VGA/HDMI, etc (should provide VGA to DMI converter incase the VGA port is not Available laptop)
isplay:
" high definition LED display with anti glare & tegrated HD WebCam,15" high definition LED display ith anti glare & integrated HD WebCam( <b>Bidders</b> nould qoute seperately for 15" and 14").
reinstalled Softwares:
perating System: <b>Activated</b> Windows 7 Professional 64 ts & recovery CD. Pre-installed MS Office 2010 (or tter version), lastest Antivirus software updated rivers.

## Dzongkhag Administration,Bumthang. ANNUAL QUOTATION FOR COMPUTER,LAPTOP & ACCESSORIES (F.Y 2018-2019

Sl.No	Name	Specification	Unit	Rate	Remarks
1		HP LaserJet P2055dn	set		
		HP LaserJet Pro 400 Printer			
		M401dw Print Speed Up			
		to 33 ppm - B/W (ISO/IEC 24734) - A4			
		(8.25 in x 11.7 in)			
		Built-in Devices touch screen			
		Preview Screen Size 3.5"			
		Connectivity Technology wired, wireless			
		Interface USB, Gigabit LAN, Wi-Fi(n),			
		USB host AirPrint Enabled Yes			
		Max Resolution (B&W) 1200 dpi			
		Automatic Duplexing Yes	Set		
		First Print Out Time B/W 8 sec			
		Media Sizes 3 in x 5 in, A4 (8.25 in x			
		11.7 in), A5 (5.83 in x 8.25 in), A6 (4.13			
		in x 5.83 in), JIS B5 (7.17 in x 10.12 in),			
		Legal (8.5 in x 14 in)			
		Min Media Weight 60 g/m2			
		Max Media Weight 163 g/m2			
		Total Media Capacity 300 sheets	1		ı

		_
HP LaserJet Pro 400 MFP M425dn		
Printer Features		
Printing Technology: Laser		
Available Functions: Print, Copy, Scan,		
Fax		
Resolution Black(dpi) :1200 x 1200		
Print Speed Black (PPM-A4): 33		
Standard Memory(MB): 256 MB		
Copier Features		
Colour Copy Speed (PPM-A4): 33		
Reduction and Enlargement(Percentage):		
25-400		
Monochrome Copy Speed (PPM-A4): 33	set	
Scanner Features	set	
File Format: JPG, PDF		
Scanning Method: Flatbed		
Scanner Type :Flatbed, ADF		
Bit Depth: 30-bit		
Fax Features		
Transmission Speed Seconds Per		
Page(Percentage): 3		
Connectivity		
USB Port: Yes		
WiFi / Bluetooth Support :Yes, built-in		
WiFi 802.11 b/g/n		

		HP LaserJet Pro M1536dnf		
		Multifunction Printer FUNCTIONS:		
		Print, copy, scan, fax		
		STANDARD PRINTER LANGUAGES		
		:HP PCL 6, HP PCL 5, PostScript		
		PRINT RESOLUTION Black (Best): Up		
		to 600 x 600 x 2 dpi; Black (Normal):		
		Up to 600 x 600 x 2 dpi		
		PRINT TECHNOLOGY RESOLUTION		
		HP REt, HP FastRes PRINT SPEED1		
		Black (Letter): Up to 26 ppm; First Page		
		Out: As fast as 8.5 sec		
		NUMBER OF PRINT CARTRIDGES 1	Set	
		(black) PRINTER SMART	Set	
		SOFTWARE FEATURES :Duplex		
		printing, HP Universal Print Driver and		
		HP Web Jetadmin supported		
		SCAN TYPE :Flatbed, ADF SCANNER		
		ADVANCED FEATURES: Instant on		
		scanner, 35-page Automatic Document		
		Feeder (ADF), OCR software in box		
		SCAN RESOLUTION Enhanced: Up to		
		19,200 dpi; Hardware: Up to 1200 x		
		1200 dpi Optical: Up to 1200 dpi		
		SCAN SPEED Black (Normal): Up to		
		15 ppm; ADF Speed: Up to 15 ppm		
		HP Scanjet G4050 Photo Scanner Set		
2	Digital Camera	Nikon D800/800 with remote control		
3	Canon power shot	G-series G1, G2, G3, G5, G6, G7, G9,		
	with remote control	S-series S30, S40, S45, S50, S60, S70,		
		A-Series A30, A40, A60, A70, A75,		
		A80, A85, A95, A300, A310, A400,		

4	Camera stand	Velbon CX-300 Floor-Standing Tripod	
5	Facility	Digital IXUS SD100 (Digital IXUS II)	
		SD110 (Digital IXUS IIS)	
		S230 (Digital IXUS 330)	
		S400 (Digital IXUS 400)	
		S410 (Digital IXUS 430)	
		S500 (Digital IXUS 500)	
6	External Hard	1 TB	
	drive/Thumb drive	500 GB	
		32 GB	
		16 GB	
		8 GB	
7	Monitor	19.5" LED Screen	
		21" LED screen	
8	Internal Hard Drive	1 TB SATA	
		500 GB SATA	
9	Memory	2 GB DDR II	
		2 GB DDR III	
		4 GB DDR II	
		4 GB DDR III	
10	CD/DVD	DVD-RW	
		DVD-R	
		ASUS SDRW-08D1S-U - DVD±RW	
		(±R DL) / DVD-RAM drive - USB 2.0	
		CD-RW	
11	Networking	Network toolkits with complete set	
		RJ-45	
		RJ-11	
		STP cable Cat6	
		UTP cable cat6	
		I/O box	
12	Switch	unmanageable 8 port 100/1000 gb switch	
12	S WILCII	unmanageable 16-Port 100/1000	
		Desktop/Rack mount Switch	
1	1	Desktop/Rack mount Switch	

		unmanageable 24-Port 100/1000 Gigabit	
		Switch	
		manageable 8 port 100/1000 gb switch	
		manageable 16-Port 100/1000	
		Desktop/Rack mount Switch	
		manageable 24-Port 100/1000 Gigabit	
		Switch	
13	Power Supply	Laptop adaptor dell	
	11 3	Laptop dell battery	
		SMPS Power supply for dell slim	
		desktop	
		EU Standard Hard Drive Power suplly	
		Adaptor USB 2.0 to SATA/IDE to be	
		connected Hard disk/CD-ROM	
		connected Hard disk/CD-ROW	
		SMPS power supply for dell Tower type	
		desktop	
14	UPS	APC UPS 800 va	
		APC UPS 650 va	
		APC Smart -UPS 5000 Rackmount 5 U	
15	Printer cable	USB Cable	
16	Keyboard /Mouse	Standard Keyboard (USB)	
		Standard Keyboard (Wireless)	
		Optical Mouse(USB)	
		OPtical Mouse(Wireless)	
17	Software & Driver	Windows 10	
		Windows 7	
		Driver Pack Solution	
		Anti-virus 2 user	
		Anti-Virus 4 user	
18	Projector	Brightness:	
		5000 ANSI Lumens (Max.)	

Contrast Ratio:	
2500:1 (Natural)	
10000:1 (Dynamic)	
20000:1 (Static)	
Native Resolution:	
1080p Full HD (1920 x 1080p)	
Aspect Ratio: 16:9	
Uniformity:	
85% Typical (Japan Standard - JBMA)	
Projection Lens:	
F-Stop: F/2.6~2.9	
Focal length, f = 39.12~46.94mm	
<b>Throw Ratio:</b> 1.85 (wide) - 2.22 (tele)	
<b>Lens Offset Ratio:</b> 115% ± 5%	
(shipping default)	
Zoom Ratio: Manual 1.2x	
<b>Keystone Correction:</b> Automatic Vertical ± 30°	
Projection Distance:	
3.28 ft ~ 39.37 ft (1.0m ~ 12m)	
Screen Size - Diagonal:	
20.3" ~ 292.9" (0.53m ~ 7.44m)	
LAMP	
Lamp Life Cycle3:	
Up to 1,500 hours Normal	
Up to 2,000 hours Eco-Mode	
Lamp Type:	
Philips 400W user-replaceable	

Lamp Warranty:
1 year
Audio and Speakers
2x 5W speaker RMS Mono
Connectivity
AC power input socket
2x D-Sub for analog/component,
HDTV input signals
1x 15-pin D-Sub for VGA-A loop
through
1x Composite Video RCA jack for
CVBS signal
1x 4-pin S-Video for Y/C signal
1x set of Component Video RCA
1x mini USB-B slave for remote
support
1x USB-A WiFi for optional wireless1
functionality
1x USB-A for USB Viewer
1x USB-B for USB Display
1x 3.5mm stereo mini phone jack for
for analog audio input
1x 3.5mm stereo mini phone jack for
variable audio output
1x RJ45 connector for networking,
LAN Display, and firmware update
2x HDMI 1.3 (HDCP compliant)
1x D-sub 9-pin RS232 for wired
remote projector control from PC
1x DC jack 12V @200mA output,
relay control for automatic projection
screen control

	Video Support	
	Composite Video / S-Video input:	
	NTSC (J, M, 4.43), PAL (B, D, G, H, I,	
	M, N, Nc, 60), SECAM (B, D, G, K,	
	K1, L)	
	HDMI and Component Video inputs	
	(via VGA and YPbPr RCA): 1080i/p,	
	720p, 576i/p, 480i/p	
	NOISE OUTPUT	
	39 dB(A) Normal Mode	
	36 dB(A) Eco-Mode	
9 Projector Screen	Da-Lite 40151 Picture King Tripod	
	Front Projection Screen (96x96")	
	<b>Image Size</b> :96x96"(244x244)cm	
	<b>Overall Size</b> : Closed: 4 x 7.5 x 105" (10	
	x 19 x 267cm)	
	5.5"	
	Aspect Ratio 1:1	
	Da-Lite Cosmopolitan Electrol	
	projection screen (motorized) - 100 in	
	Product Type: Projection screen	
	(motorized), Projection	
	Screen Image Diagonal Size: 100 in (	
	254 cm ), Projection Image Size:	
	80 in x 60 in, Screen Surface: Matte	
	White, Product Material: Fabric	
0	Туре	
	Desktop or Free-standing, (Reader-	
	Printer Combined)	
	Maximum Original Size	
	A3	

Copy Sizes	
Cassette 1,3 and 4: A3, A4, A4R, A5R	
Custom size: 139.7 to 297mm x 182 to 432mm	
Cassette 2: A3, A4, A4R, A5R,	
Envelope (with optional Envelope	
Feeder Attachment-D1)	
Stack Bypass: A3, A4, A4R, A5R,	
Envelopes	
Custom size: 99 to 297mm x 148 to 432	
mm	
Resolution	
Reading: 600dpi × 600dpi	
Copying: 600dpi × 600dpi	
Printing: 600dpi × 600dpi, 1200dpi x	
1200dpi (UFRll-LT only)	
Number of Tones: 256 Gradations	
Copy/Print Speed	
A4:	
imageRUNNER 2545i/2545: 45ppm	
(BW)	
imageRUNNER 2535i/2535 : 35ppm (BW)	
imageRUNNER 2530i/2530 : 30ppm (BW)	
imageRUNNER 2525i/2525 : 25ppm (BW)	
imageRUNNER 2520i/2520 : 20ppm (BW)	
A3:	

	l		 	
Photocopy Machine	imageRUNNER 2545i/2545 : 22ppm (BW)			
	imageRUNNER 2535i/2535 : 22ppm (BW)			
	imageRUNNER 2530i/2530 : 15ppm (BW)			
	imageRUNNER 2525i/2525 : 15ppm (BW)			
	imageRUNNER 2520i/2520 : 15ppm (BW)			
	Magnification			
	Zoom: 25-400%			
	Fixed: 25%, 50%, 70%, 100%, 141%,			
	200%, 400%			
	First Copy Time			
	Black-and-White: 3.9sec (45/35 ppm			
	model), 5.4sec (30/25 ppm model),			
	6.4sec (20 ppm model)			
	Warm-Up Time			
	30 seconds			
	Multiple Copies/Prints			
	1 to 999 sheets			
	Duplexing			
	Standard			
	Memory			
	512MB (imageRUNNER 2500 i			
	models), 256MB (imageRUNNER 2500			
	non i models)			
	Interface			
	Ethernet (100Base-TX/10Base-T), USB			
	Host I/F 2.0 x 1 port, USB Device 1.0 x			
	1 port			

Copy Print Speed Black & White: 36 p		
Copy Print Speed Colour: 0 ppm		
Copying Resolution: 600x600 dpi		
CPU: Dual-core 1.2GHz ARM Cortex-A		
Interface: LAN, USB		
Magnification Zoom: 25 to 400%		